U.S. DEPARTMENT OF AGRICULTURE
Federal Grain Inspection Service
P.O. Box 96454
Washington, D.C. 20090-6454

APPENDIX 1. TOLERANCES

TABLE OF CONTENTS

Determinations	Table	Page Number
ROUGH RICE		
Chalky Kernels - Percentage	6	9
Classes - Percentage of Whole Kernels of Rough Rice	7	24
Classes - Percentage of Rice of Other Types	6	9
Color Requirements	None	
Damaged Kernels - Percentage	6	9
Distinctly Low Quality	None	
Dockage	None	
Heat-Damaged Kernels - Number	4	2
Heat-Damaged Kernels and Objectionable Seeds (Singly or Combined) - Number	4	2
Heating Rough Rice	None	
Kind - Percentage of Paddy Kernels	3	1
Large Broken Kernels - Percentage	7	24
Milling Requirement	None	
Milling Yield - Percentage	1	1
Moisture - Percentage Using Appropriate Conversion Charts	2	1
Nonparboiled Rice - Percentage	6	9
Objectionable Seeds - Number	4	2
Odor	None	
Other Types - Percentage	6	9
Parboiled Color Levels	None	
Red Rice - Percentage	6	9
Red Rice and Damaged Kernels (Singly or Combined) - Percentage	6	9
Seeds - Number	4	2
Smutty Kernels - Percentage	6	9
Test Weight Per Bushel	None	
Total Seeds and Heat-Damaged Kernels - Number	4	2
Types (Length/Width Ratio)	None	
Ungelatinized Kernels - Percentage	6	9
Weevily	None	
Whole Kernels--See "Classes" or "Milling Yield"		
Whole and Large Broken Kernels - Percentage	7	24

Determinations	Table/Page Number	
BROWN RICE FOR PROCESSING		
Broken Kernels (6 plate or 6-1/2 sieve) - Percentage	7	24
Chalky Kernels - Percentage	6	9
Classes - Percentage of Whole Kernels	7	24
Classes - Percentage of Rice of Other Types	6	9
Damaged Kernels - Percentage	6	9
Distinctly Low Quality	None	
Heat-Damaged Kernels - Number	4	2
Heat-Damaged Kernels and Objectionable Seeds (Singly or Combined) - Number	4	2
Heating Brown Rice for Processing	None	
Kind - Percentage of Brown Rice Kernels	3	1
Live Weevils and Other Live Insects	None	
Milling Analysis (Breakdown) - Percentage	7	24
Milling Yield - Percentage	1	1
Nonparboiled Rice - Percentage	6	9
Objectionable Seeds - Number	4	2
Odor	None	
Other Types - Percentage	6	9
Paddy Kernels - Number	4	2
Paddy Kernels - Percentage	5	8
Parboiled Color Levels	None	
Red Rice - Percentage	6	9
Red Rice and Damaged Kernels (Singly or Combined) - Percentage	6	9
Related Material - Percentage	6	9
Seeds - Number	4	2
Smutty Kernels - Percentage	6	9
Test Weight Per Bushel	None	
Total Broken Kernels - Percentage	7	24
Total Seeds and Heat-Damaged Kernels - Number	4	2
Types (Length/Width Ratio)	None	
Ungelatinized Kernels - Percentage	6	9
Unrelated Material - Percentage	6	9
Well-Milled Kernels - Percentage	6	9
Whole Kernels--See "Classes" or "Milling Yield"		
MILLED RICE		
Broken Kernels (6 plate or 6-1/2 sieve) - Percentage	7	24
Chalky Kernels - Percentage	6	9
Classes - Percentage of Whole Kernels	7	24
Classes - Percentage of Rice of Other Types	6	9
Classes - Percentage of Broken Kernels	7	24
Coated Milled Rice	None	
Color Requirement	None	
Damaged Kernels - Percentage	6	9
Distinctly Low Quality	None	
Foreign Material - Percentage	6	9

Determinations	Table	Page Number
Foreign Material in Brewers - Percentage	7	24
Granulated Brewers Milled Rice - Percentage	7	24
Heat-Damaged Kernels - Number	4	2
Heat-Damaged Kernels and Objectionable Seeds - Number	4	2
Heat-Damaged Kernels, Kernels Damaged by Heat and/or Parboiled Kernels in Nonparboiled Rice - Percentage	6	9
Heating Milled Rice	None	
Kind - Percentage of Milled Rice Kernels	6	9
Milling Requirement	None	
Moisture - Percentage	2	1
Nonparboiled Rice - Percentage	6	9
Objectionable Seeds - Number	4	2
Objectionable Seeds - Percentage	6	9
Odor	None	
Paddy Kernels - Number	4	2
Paddy Kernels - Percentage	6	9
Paddy Kernels and Seeds - Number	4	2
Parboiled Color Levels	None	
Quantitative Analysis (Breakdown) - Percentage	7	24
Red Rice - Percentage	6	9
Red Rice and Damaged Kernels (Singly or Combined) - Percentage	6	9
Seeds - Number	4	2
Seeds - Percentage	6	9
Seeds, Heat-Damaged and Paddy Kernels (Singly or Combined) - Number	4	2
Test Weight Per Bushel	None	
30 Sieve Material - Percentage	7	24
Total Broken Kernels - Percentage	7	24
Total Paddy Kernels and Seeds - Number	4	2
Total Paddy Kernels and Seeds - Percentage	6	9
Total Seeds, Heat-Damaged, and Paddy Kernels (Singly or Combined) - Number	4	2
2-1/2 Sieve - Percentage	7	24
Types (Length/Width Ratio)	None	
Undermilled Milled Rice	None	
Ungelatinized Kernels	6	9
Weevils and Other Insects	None	
Well-Milled Kernels - Percentage	6	9
Whole Kernels--See "Classes" - Percentage	6	9

(RESERVED)

TABLE 1
(Percent ±)

	Portion of Original Sample	New Sample	
Total Milling Yield - RR	2.0	2.5	*
Total Milling Yield - BR	1.0	1.5	*
Whole Kernels - RR	2.5	3.0	*
Whole Kernels - BR	1.5	2.0	*

TABLE 2
(Percent ±)

	Portion of Original Sample	New Sample
Moisture	0.45	0.55

TABLE 3
(Percent ±)

	Portion of Original Sample	New Sample
Long Grain Rice (51 kernels/gram)	2.3	2.8
Medium Grain Rice (46 kernels/gram)	2.4	2.9
Short Grain Rice (42 kernels/gram)	2.5	3.0

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
0	0 - 3	0 - 5
1	0 - 5	0 - 7
2	0 - 7	0 - 9
3	0 - 9	0 - 11
4	0 - 11	0 - 13
5	1 - 12	0 - 14
6	1 - 14	0 - 16
7	2 - 15	0 - 17
8	2 - 16	0 - 18
9	3 - 18	1 - 20
10	3 - 19	1 - 21
11	4 - 20	2 - 22
12	5 - 22	3 - 24
13	5 - 23	3 - 25
14	6 - 24	4 - 26
15	7 - 26	5 - 28
16	8 - 27	6 - 29
17	8 - 28	6 - 30
18	9 - 29	7 - 31
19	10 - 31	8 - 33
20	11 - 32	9 - 34
21	11 - 33	9 - 35
22	12 - 35	10 - 37
23	13 - 36	11 - 38
24	14 - 37	12 - 39
25	14 - 38	12 - 40
26	15 - 39	13 - 41
27	16 - 41	14 - 43
28	17 - 42	15 - 44
29	18 - 43	16 - 45
30	18 - 44	16 - 46
31	19 - 46	17 - 48
32	20 - 47	18 - 49
33	21 - 48	19 - 50
34	22 - 49	19 - 51
35	22 - 50	20 - 52
36	23 - 52	21 - 53
37	24 - 53	22 - 54
38	25 - 54	23 - 56
39	26 - 55	24 - 57
40	26 - 56	24 - 58

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
41	27 - 58	25 - 60
42	28 - 59	26 - 61
43	29 - 60	27 - 62
44	30 - 61	28 - 63
45	30 - 62	28 - 64
46	31 - 63	29 - 65
47	32 - 65	30 - 67
48	33 - 66	31 - 68
49	34 - 67	32 - 69
50	35 - 68	33 - 70
51	35 - 69	33 - 71
52	36 - 70	33 - 72
53	37 - 72	35 - 74
54	38 - 73	36 - 75
55	39 - 74	37 - 76
56	40 - 75	38 - 77
57	40 - 76	38 - 78
58	41 - 77	39 - 79
59	42 - 78	40 - 80
60	43 - 80	41 - 82
61	44 - 81	42 - 83
62	45 - 82	43 - 84
63	46 - 83	44 - 85
64	46 - 84	44 - 86
65	47 - 85	45 - 87
66	48 - 86	46 - 88
67	49 - 88	47 - 90
68	50 - 89	48 - 91
69	51 - 90	49 - 92
70	52 - 91	50 - 93
71	53 - 92	51 - 94
72	53 - 93	51 - 95
73	54 - 94	52 - 96
74	55 - 96	53 - 98
75	56 - 97	54 - 99

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
76	57 - 98	55 - 100
77	58 - 99	56 - 101
78	59 - 100	57 - 102
79	59 - 101	57 - 103
80	60 - 102	58 - 104
81	61 - 103	59 - 106
82	62 - 105	60 - 107
83	63 - 106	61 - 108
84	64 - 107	62 - 109
85	65 - 108	63 - 110
86	66 - 109	64 - 111
87	66 - 110	65 - 112
88	67 - 111	65 - 113
89	68 - 113	66 - 115
90	69 - 114	67 - 116
91	70 - 115	68 - 117
92	71 - 116	69 - 118
93	72 - 117	70 - 119
94	73 - 118	71 - 120
95	73 - 119	71 - 121
96	74 - 120	72 - 122
97	75 - 122	73 - 124
98	76 - 123	74 - 125
99	77 - 124	75 - 126
100	78 - 125	76 - 127
101	79 - 126	77 - 128
102	80 - 127	78 - 129
103	80 - 128	78 - 130
104	81 - 129	79 - 131
105	82 - 130	80 - 132
106	83 - 131	81 - 133
107	84 - 132	82 - 134
108	85 - 134	83 - 136
109	86 - 135	84 - 137
110	87 - 136	85 - 138

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
111	88 - 137	86 - 139
112	88 - 138	86 - 140
113	89 - 139	87 - 141
114	90 - 140	88 - 142
115	91 - 142	89 - 144
116	92 - 143	90 - 145
117	93 - 144	91 - 146
118	94 - 145	92 - 147
119	95 - 146	93 - 148
120	96 - 147	94 - 149
121	96 - 148	94 - 150
122	97 - 149	95 - 151
123	98 - 150	96 - 152
124	99 - 152	97 - 154
125	100 - 153	98 - 155
126	101 - 154	99 - 156
127	102 - 155	100 - 157
128	103 - 156	101 - 158
129	104 - 157	102 - 159
130	105 - 158	103 - 160
131	106 - 159	104 - 161
132	107 - 160	105 - 162
133	107 - 161	105 - 163
134	108 - 163	106 - 165
135	109 - 164	107 - 166
136	110 - 165	108 - 167
137	111 - 166	109 - 168
138	112 - 167	110 - 169
139	113 - 168	111 - 170
140	114 - 169	112 - 171
141	114 - 170	112 - 172
142	115 - 171	113 - 173
143	116 - 172	114 - 174
144	117 - 173	115 - 175
145	118 - 175	116 - 177

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
146	119 - 176	117 - 178
147	120 - 177	118 - 179
148	121 - 178	119 - 180
149	122 - 179	120 - 181
150	123 - 180	121 - 182
151	123 - 181	121 - 183
152	124 - 182	122 - 184
153	125 - 183	123 - 185
154	126 - 184	124 - 186
155	127 - 185	125 - 187
156	128 - 187	126 - 189
157	129 - 188	127 - 190
158	130 - 189	128 - 191
159	131 - 190	129 - 192
160	132 - 191	130 - 193
161	133 - 192	131 - 194
162	133 - 193	131 - 195
163	134 - 194	132 - 196
164	135 - 195	133 - 197
165	136 - 197	134 - 199
166	137 - 198	135 - 200
167	138 - 199	136 - 201
168	139 - 200	137 - 202
169	140 - 201	138 - 203
170	141 - 202	139 - 204
171	142 - 203	140 - 205
172	143 - 204	141 - 206
173	144 - 205	142 - 207
174	144 - 206	142 - 208
175	145 - 207	143 - 209
176	146 - 208	144 - 210
177	147 - 210	145 - 212
178	148 - 211	146 - 213
179	149 - 212	147 - 214
180	150 - 213	148 - 215

TABLE 4
(Number in 500 Grams)

Original Inspection Results	Portion of Original Sample	New Sample
181	151 - 214	149 - 216
182	152 - 215	150 - 217
183	153 - 216	151 - 218
184	154 - 217	152 - 219
185	155 - 218	153 - 220
186	155 - 219	153 - 221
187	156 - 220	154 - 222
188	157 - 221	155 - 223
189	158 - 223	156 - 224
190	159 - 224	157 - 226
191	160 - 225	158 - 227
192	161 - 226	159 - 228
193	162 - 227	160 - 229
194	163 - 228	161 - 230
195	164 - 229	162 - 231
196	164 - 230	162 - 232
197	165 - 231	163 - 233
198	166 - 232	164 - 234
199	166 - 233	164 - 235
200	167 - 234	165 - 236

TABLE 5
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
0.0	0.0 - 0.2	0.0 - 0.4
0.1	0.0 - 0.4	0.0 - 0.6
0.2	0.0 - 0.5	0.0 - 0.7
0.3	0.0 - 0.7	0.0 - 0.9
0.4	0.1 - 0.8	0.0 - 1.0
0.5	0.2 - 0.9	0.0 - 1.1
0.6	0.2 - 1.1	0.0 - 1.3
0.7	0.3 - 1.2	0.1 - 1.4
0.8	0.4 - 1.3	0.2 - 1.5
0.9	0.5 - 1.4	0.3 - 1.6
1.0	0.5 - 1.6	0.3 - 1.8
1.1	0.6 - 1.7	0.4 - 1.9
1.2	0.7 - 1.8	0.5 - 2.0
1.3	0.8 - 1.9	0.6 - 2.1
1.4	0.9 - 2.0	0.7 - 2.2
1.5	0.9 - 2.2	0.7 - 2.4
1.6	1.0 - 2.3	0.8 - 2.5
1.7	1.1 - 2.4	0.9 - 2.6
1.8	1.2 - 2.5	1.0 - 2.7
1.9	1.3 - 2.6	1.1 - 2.8
2.0	1.4 - 2.7	1.2 - 2.9
2.1	1.4 - 2.9	1.2 - 3.1
2.2	1.5 - 3.0	1.3 - 3.2
2.3	1.6 - 3.1	1.4 - 3.3
2.4	1.7 - 3.2	1.5 - 3.4
2.5	1.8 - 3.3	1.6 - 3.5
2.6	1.9 - 3.4	1.7 - 3.6
2.7	2.0 - 3.5	1.8 - 3.7
2.8	2.0 - 3.7	1.8 - 3.9
2.9	2.1 - 3.8	1.9 - 4.0

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
0.0	0.0 - 0.3	0.0 - 0.5
0.1	0.0 - 0.5	0.0 - 0.7
0.2	0.0 - 0.7	0.0 - 0.9
0.3	0.0 - 0.9	0.0 - 1.1
0.4	0.0 - 1.0	0.0 - 1.2
0.5	0.1 - 1.2	0.0 - 1.4
0.6	0.1 - 1.3	0.0 - 1.5
0.7	0.2 - 1.5	0.0 - 1.7
0.8	0.2 - 1.6	0.0 - 1.8
0.9	0.3 - 1.7	0.1 - 1.9
1.0	0.4 - 1.9	0.2 - 2.1
1.1	0.4 - 2.0	0.2 - 2.2
1.2	0.5 - 2.1	0.3 - 2.3
1.3	0.6 - 2.2	0.4 - 2.4
1.4	0.7 - 2.4	0.5 - 2.6
1.5	0.7 - 2.5	0.5 - 2.7
1.6	0.8 - 2.6	0.6 - 2.8
1.7	0.9 - 2.7	0.7 - 2.9
1.8	1.0 - 2.9	0.8 - 3.1
1.9	1.0 - 3.0	0.8 - 3.2
2.0	1.1 - 3.1	0.9 - 3.3
2.1	1.2 - 3.2	1.0 - 3.4
2.2	1.3 - 3.4	1.1 - 3.6
2.3	1.3 - 3.5	1.1 - 3.7
2.4	1.4 - 3.6	1.2 - 3.8
2.5	1.5 - 3.7	1.3 - 3.9
2.6	1.6 - 3.8	1.4 - 4.0
2.7	1.7 - 4.0	1.5 - 4.2
2.8	1.7 - 4.1	1.5 - 4.3
2.9	1.8 - 4.2	1.6 - 4.4
3.0	1.9 - 4.3	1.7 - 4.5
3.1	2.0 - 4.4	1.8 - 4.6
3.2	2.1 - 4.5	1.9 - 4.7
3.3	2.1 - 4.7	1.9 - 4.9
3.4	2.2 - 4.8	2.0 - 5.0
3.5	2.3 - 4.9	2.1 - 5.1

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
3.6	2.4 - 5.0	2.2 - 5.2
3.7	2.5 - 5.1	2.3 - 5.3
3.8	2.6 - 5.2	2.4 - 5.4
3.9	2.6 - 5.4	2.4 - 5.6
4.0	2.7 - 5.5	2.5 - 5.7
4.1	2.8 - 5.6	2.6 - 5.8
4.2	2.9 - 5.7	2.7 - 5.9
4.3	3.0 - 5.8	2.8 - 6.0
4.4	3.1 - 5.9	2.9 - 6.1
4.5	3.2 - 6.1	3.0 - 6.3
4.6	3.2 - 6.2	3.0 - 6.4
4.7	3.3 - 6.3	3.1 - 6.5
4.8	3.4 - 6.4	3.2 - 6.6
4.9	3.5 - 6.5	3.3 - 6.7
5.0	3.6 - 6.6	3.4 - 6.8
5.1	3.7 - 6.7	3.5 - 6.9
5.2	3.8 - 6.8	3.6 - 7.0
5.3	3.8 - 7.0	3.6 - 7.2
5.4	3.9 - 7.1	3.7 - 7.3
5.5	4.0 - 7.2	3.8 - 7.4
5.6	4.1 - 7.2	3.9 - 7.5
5.7	4.2 - 7.3	4.0 - 7.6
5.8	4.3 - 7.5	4.1 - 7.7
5.9	4.4 - 7.6	4.2 - 7.8
6.0	4.5 - 7.7	4.3 - 7.9
6.1	4.5 - 7.9	4.3 - 8.1
6.2	4.6 - 8.0	4.4 - 8.2
6.3	4.7 - 8.1	4.5 - 8.3
6.4	4.8 - 8.2	4.6 - 8.4
6.5	4.9 - 8.3	4.7 - 8.5
6.6	5.0 - 8.4	4.8 - 8.6
6.7	5.1 - 8.5	4.9 - 8.7
6.8	5.2 - 8.6	5.0 - 8.8
6.9	5.2 - 8.7	5.0 - 8.9
7.0	5.3 - 8.9	5.1 - 9.1

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
7.1	5.4 - 9.0	5.2 - 9.2
7.2	5.5 - 9.1	5.3 - 9.3
7.3	5.6 - 9.2	5.4 - 9.4
7.4	5.7 - 9.3	5.5 - 9.5
7.5	5.8 - 9.4	5.6 - 9.6
7.6	5.9 - 9.5	5.7 - 9.7
7.7	6.0 - 9.6	5.8 - 9.8
7.8	6.0 - 9.7	5.8 - 9.9
7.9	6.1 - 9.9	5.9 - 10.1
8.0	6.2 - 10.0	6.0 - 10.2
8.1	6.3 - 10.1	6.1 - 10.2
8.2	6.4 - 10.2	6.2 - 10.3
8.3	6.5 - 10.3	6.3 - 10.4
8.4	6.6 - 10.4	6.4 - 10.6
8.5	6.7 - 10.5	6.5 - 10.7
8.6	6.8 - 10.6	6.6 - 10.8
8.7	6.9 - 10.7	6.7 - 10.9
8.8	6.9 - 10.8	6.7 - 11.0
8.9	7.0 - 10.9	6.8 - 11.1
9.0	7.1 - 11.1	6.9 - 11.3
9.1	7.2 - 11.2	7.0 - 11.4
9.2	7.3 - 11.3	7.1 - 11.5
9.3	7.4 - 11.4	7.2 - 11.6
9.4	7.5 - 11.5	7.3 - 11.7
9.5	7.6 - 11.6	7.4 - 11.8
9.6	7.7 - 11.7	7.5 - 11.9
9.7	7.8 - 11.8	7.6 - 12.0
9.8	7.9 - 11.9	7.7 - 12.1
9.9	7.9 - 12.0	7.7 - 12.2
10.0	8.0 - 12.1	7.8 - 12.3
10.1	8.1 - 12.3	7.9 - 12.5
10.2	8.2 - 12.4	8.0 - 12.6
10.3	8.3 - 12.5	8.1 - 12.7
10.4	8.4 - 12.6	8.2 - 12.8
10.5	8.5 - 12.7	8.3 - 12.9

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
10.6	8.6 - 12.8	8.4 - 13.0
10.7	8.7 - 12.9	8.5 - 13.1
10.8	8.8 - 13.0	8.6 - 13.2
10.9	8.9 - 13.1	8.7 - 13.3
11.0	8.9 - 13.2	8.7 - 13.4
11.1	9.0 - 13.3	8.8 - 13.5
11.2	9.1 - 13.4	8.9 - 13.6
11.3	9.2 - 13.6	9.0 - 13.8
11.4	9.3 - 13.7	9.1 - 13.9
11.5	9.4 - 13.8	9.2 - 14.0
11.6	9.5 - 13.9	9.3 - 14.1
11.7	9.6 - 14.0	9.4 - 14.2
11.8	9.7 - 14.1	9.5 - 14.3
11.9	9.8 - 14.2	9.6 - 14.4
12.0	9.9 - 14.3	9.7 - 14.5
12.1	10.0 - 14.4	9.8 - 14.6
12.2	10.0 - 14.5	9.8 - 14.7
12.3	10.1 - 14.6	9.9 - 14.8
12.4	10.2 - 14.7	10.0 - 14.9
12.5	10.3 - 14.8	10.1 - 15.0
12.6	10.4 - 15.0	10.2 - 15.2
12.7	10.5 - 15.1	10.3 - 15.3
12.8	10.6 - 15.2	10.4 - 15.4
12.9	10.7 - 15.3	10.5 - 15.5
13.0	10.8 - 15.4	10.6 - 15.6
13.1	10.9 - 15.5	10.7 - 15.7
13.2	11.0 - 15.6	10.8 - 15.8
13.3	11.1 - 15.7	10.9 - 15.9
13.4	11.2 - 15.8	11.0 - 16.0
13.5	11.3 - 15.9	11.1 - 16.1
13.6	11.3 - 16.0	11.1 - 16.2
13.7	11.4 - 16.1	11.2 - 16.3
13.8	11.5 - 16.2	11.3 - 16.4
13.9	11.6 - 16.3	11.4 - 16.5
14.0	11.7 - 16.4	11.5 - 16.6

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
14.1	11.8 - 16.6	11.6 - 16.8
14.2	11.9 - 16.7	11.7 - 16.9
14.3	12.0 - 16.8	11.8 - 17.0
14.4	12.1 - 16.9	11.9 - 17.1
14.5	12.2 - 17.0	12.0 - 17.2
14.6	12.3 - 17.1	12.1 - 17.3
14.7	12.4 - 17.2	12.2 - 17.4
14.8	12.5 - 17.3	12.3 - 17.5
14.9	12.6 - 17.4	12.4 - 17.6
15.0	12.6 - 17.5	12.4 - 17.7
15.1	12.7 - 17.6	12.5 - 17.8
15.2	12.8 - 17.7	12.6 - 17.9
15.3	12.9 - 17.8	12.7 - 18.0
15.4	13.0 - 17.9	12.8 - 18.1
15.5	13.1 - 18.0	12.9 - 18.2
15.6	13.2 - 18.1	13.0 - 18.3
15.7	13.3 - 18.3	13.1 - 18.5
15.8	13.4 - 18.4	13.2 - 18.6
15.9	13.5 - 18.5	13.3 - 18.7
16.0	13.6 - 18.6	13.4 - 18.8
16.1	13.7 - 18.7	13.5 - 18.9
16.2	13.8 - 18.8	13.6 - 19.0
16.3	13.9 - 18.9	13.7 - 19.1
16.4	14.0 - 19.0	13.8 - 19.2
16.5	14.0 - 19.1	13.8 - 19.3
16.6	14.1 - 19.2	13.9 - 19.4
16.7	14.2 - 19.3	14.0 - 19.5
16.8	14.3 - 19.4	14.1 - 19.6
16.9	14.4 - 19.5	14.2 - 19.7
17.0	14.5 - 19.6	14.3 - 19.8
17.1	14.6 - 19.7	14.4 - 19.9
17.2	14.7 - 19.8	14.5 - 20.0
17.3	14.8 - 19.9	14.6 - 20.1
17.4	14.9 - 20.0	14.7 - 20.2
17.5	15.0 - 20.2	14.8 - 20.4

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
17.6	15.1 - 20.3	14.9 - 20.5
17.7	15.2 - 20.4	15.0 - 20.6
17.8	15.3 - 20.5	15.1 - 20.7
17.9	15.4 - 20.6	15.2 - 20.8
18.0	15.5 - 20.7	15.3 - 20.9
18.1	15.6 - 20.8	15.4 - 21.0
18.2	15.6 - 20.9	15.4 - 21.1
18.3	15.7 - 21.0	15.5 - 21.2
18.4	15.8 - 21.1	15.6 - 21.3
18.5	15.9 - 21.2	15.7 - 21.4
18.6	16.0 - 21.3	15.8 - 21.5
18.7	16.1 - 21.4	15.9 - 21.6
18.8	16.2 - 21.5	16.0 - 21.7
18.9	16.3 - 21.6	16.1 - 21.8
19.0	16.4 - 21.7	16.2 - 21.9
19.1	16.5 - 21.8	16.3 - 22.0
19.2	16.6 - 21.9	16.4 - 22.1
19.3	16.7 - 22.0	16.5 - 22.2
19.4	16.8 - 22.2	16.6 - 22.4
19.5	16.9 - 22.3	16.7 - 22.5
19.6	17.0 - 22.4	16.8 - 22.6
19.7	17.1 - 22.5	16.9 - 22.7
19.8	17.2 - 22.6	17.0 - 22.8
19.9	17.3 - 22.7	17.1 - 22.9
20.0	17.4 - 22.8	17.2 - 23.0
20.1	17.4 - 22.9	17.2 - 23.1
20.2	17.5 - 23.0	17.3 - 23.2
20.3	17.6 - 23.1	17.4 - 23.3
20.4	17.7 - 23.2	17.5 - 23.4
20.5	17.8 - 23.3	17.6 - 23.5
20.6	18.0 - 23.4	17.7 - 23.6
20.7	18.0 - 23.5	17.8 - 23.7
20.8	18.1 - 23.6	17.9 - 23.8
20.9	18.2 - 23.7	18.0 - 23.9
21.0	18.3 - 23.8	18.1 - 24.0

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
21.1	18.4 - 23.9	18.2 - 24.1
21.2	18.5 - 24.0	18.3 - 24.2
21.3	18.6 - 24.1	18.4 - 24.3
21.4	18.7 - 24.2	18.5 - 24.4
21.5	18.8 - 24.3	18.6 - 24.5
21.6	18.9 - 24.5	18.7 - 24.7
21.7	19.0 - 24.6	18.8 - 24.8
21.8	19.1 - 24.7	18.9 - 24.9
21.9	19.2 - 24.8	19.0 - 25.0
22.0	19.3 - 24.9	19.1 - 25.1
22.1	19.3 - 25.0	19.1 - 25.2
22.2	19.4 - 25.1	19.2 - 25.3
22.3	19.5 - 25.2	19.3 - 25.4
22.4	19.6 - 25.3	19.4 - 25.5
22.5	19.7 - 25.4	19.5 - 25.6
22.6	19.8 - 25.5	19.6 - 25.7
22.7	19.9 - 25.6	19.7 - 25.8
22.8	20.0 - 25.7	19.8 - 25.9
22.9	20.1 - 25.8	19.9 - 26.0
23.0	20.2 - 25.9	20.0 - 26.1
23.1	20.3 - 26.0	20.1 - 26.2
23.2	20.4 - 26.1	20.2 - 26.3
23.3	20.5 - 26.2	20.3 - 26.4
23.4	20.6 - 26.3	20.4 - 26.5
23.5	20.7 - 26.4	20.5 - 26.6
23.6	20.8 - 26.5	20.6 - 26.7
23.7	20.9 - 26.6	20.7 - 26.8
23.8	21.0 - 26.7	20.8 - 26.9
23.9	21.1 - 26.8	20.9 - 27.0
24.0	21.2 - 26.9	21.0 - 27.1
24.1	21.3 - 27.1	21.1 - 27.3
24.2	21.4 - 27.2	21.2 - 27.4
24.3	21.4 - 27.3	21.2 - 27.5
24.4	21.5 - 27.4	21.3 - 27.6
24.5	21.6 - 27.5	21.4 - 27.7

TABLE 6
(Percent ±)

Original Inspection Results	Portion of Original Sample	New Sample
24.6	21.7 - 27.6	21.5 - 27.8
24.7	21.8 - 27.7	21.6 - 27.9
24.8	21.9 - 27.8	21.7 - 28.0
24.9	22.0 - 27.9	21.8 - 28.1
25.0	22.1 - 28.0	21.9 - 28.2
25.1	22.2 - 28.1	22.0 - 28.3
25.2	22.3 - 28.2	22.1 - 28.4
25.3	22.4 - 28.3	22.2 - 28.5
25.4	22.5 - 28.4	22.3 - 28.6
25.5	22.6 - 28.5	22.4 - 28.7
25.6	22.7 - 28.6	22.5 - 28.8
25.7	22.8 - 28.7	22.6 - 28.9
25.8	22.9 - 28.8	22.7 - 29.0
25.9	23.0 - 28.9	22.8 - 29.1
26.0	23.1 - 29.0	22.9 - 29.2
26.1	23.2 - 29.1	23.0 - 29.3
26.2	23.3 - 29.2	23.1 - 29.4
26.3	23.4 - 29.3	23.2 - 29.5
26.4	23.5 - 29.4	23.3 - 29.6
26.5	23.6 - 29.5	23.4 - 29.7
26.6	23.7 - 29.6	23.5 - 29.8
26.7	23.8 - 29.7	23.6 - 29.9
26.8	23.9 - 29.8	23.7 - 30.0
26.9	23.9 - 29.9	23.7 - 30.1
27.0	24.0 - 30.1	23.8 - 30.3
27.1	24.1 - 30.2	23.9 - 30.4
27.2	24.2 - 30.3	24.0 - 30.5
27.3	24.3 - 30.4	24.1 - 30.6
27.4	24.4 - 30.5	24.2 - 30.7
27.5	24.5 - 30.6	24.3 - 30.8
27.6	24.6 - 30.7	24.4 - 30.9
27.7	24.7 - 30.8	24.5 - 31.0
27.8	24.8 - 30.9	24.6 - 31.1
27.9	24.9 - 31.0	24.7 - 31.2
28.0	25.0 - 31.1	24.8 - 31.3

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
28.1	25.1-31.2	24.9-31.4
28.2	25.2-31.3	25.0-31.5
28.3	25.3-31.4	25.1-31.6
28.4	25.4-31.5	25.2-31.7
28.5	25.5-31.6	25.3-31.8
28.6	25.6-31.7	25.4-31.9
28.7	25.7-31.8	25.5-32.0
28.8	25.8-31.9	25.6-32.1
28.9	25.9-32.0	25.7-32.2
29.0	26.0-32.1	25.8-32.3
29.1	26.1-32.2	25.9-32.4
29.2	26.2-32.3	26.0-32.5
29.3	26.3-32.4	26.1-32.6
29.4	26.4-32.5	26.2-32.7
29.5	26.5-32.6	26.3-32.8
29.6	26.6-32.7	26.4-32.9
29.7	26.6-32.8	26.4-33.0
29.8	26.7-32.9	26.5-33.1
29.9	26.8-33.0	26.6-33.2
30.0	26.9-33.1	26.7-33.3
30.1	27.0-33.2	26.8-33.4
30.2	27.1-33.3	26.9-33.5
30.3	27.2-33.4	27.0-33.6
30.4	27.3-33.5	27.1-33.7
30.5	27.4-33.6	27.2-33.8
30.6	27.5-33.7	27.3-33.9
30.7	27.6-33.9	27.4-34.1
30.8	27.7-34.0	27.5-34.2
30.9	27.8-34.1	27.6-34.3
31.0	27.9-34.2	27.7-34.4
31.1	28.0-34.3	27.8-34.5
31.2	28.1-34.4	27.9-34.6
31.3	28.2-34.5	28.0-34.7
31.4	28.3-34.6	28.1-34.8
31.5	28.4-34.7	28.2-34.9

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
31.6	28.5-34.8	28.3-35.0
31.7	28.6-34.9	28.4-35.1
31.8	28.7-35.0	28.5-35.2
31.9	28.8-35.1	28.6-35.3
32.0	28.9-35.2	28.7-35.4
32.1	29.0-35.3	28.8-35.5
32.2	29.1-35.4	28.9-35.6
32.3	29.2-35.5	29.0-35.7
32.4	29.3-35.6	29.1-35.8
32.5	29.4-35.7	29.2-35.9
32.6	29.5-35.8	29.3-36.0
32.7	29.6-35.9	29.4-36.1
32.8	29.7-36.0	29.5-36.2
32.9	29.8-36.1	29.6-36.3
33.0	29.9-36.2	29.7-36.4
33.1	29.9-36.3	29.7-36.5
33.2	30.0-36.4	29.8-36.6
33.3	30.1-36.5	29.9-36.7
33.4	30.2-36.6	30.0-36.8
33.5	30.3-36.7	30.1-36.9
33.6	30.4-36.8	30.2-37.0
33.7	30.5-36.9	30.3-37.1
33.8	30.6-37.0	30.4-37.2
33.9	30.7-37.1	30.5-37.3
34.0	30.8-37.2	30.6-37.4
34.1	30.9-37.3	30.7-37.5
34.2	31.0-37.4	30.8-37.6
34.3	31.1-37.5	30.9-37.7
34.4	31.2-37.6	31.0-37.8
34.5	31.3-37.7	31.1-37.9
34.6	31.4-37.8	31.2-38.0
34.7	31.5-37.9	31.3-38.1
34.8	31.6-38.0	31.4-38.2
34.9	31.7-38.1	31.5-38.3
35.0	31.8-38.2	31.6-38.4

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
35.1	31.9-38.3	31.7-38.5
35.2	32.0-38.4	31.8-38.6
35.3	32.1-38.5	31.9-38.7
35.4	32.2-38.6	32.0-38.8
35.5	32.3-38.7	32.1-38.9
35.6	32.4-38.8	32.2-39.0
35.7	32.5-38.9	32.3-39.1
35.8	32.6-39.0	32.4-39.2
35.9	32.7-39.1	32.5-39.3
36.0	32.8-39.3	32.6-39.5
36.1	32.9-39.4	32.7-39.6
36.2	33.0-39.5	32.8-39.7
36.3	33.1-39.6	32.9-39.8
36.4	33.2-39.7	33.0-39.9
36.5	33.3-39.8	33.1-40.0
36.6	33.4-39.9	33.2-40.1
36.7	33.5-40.0	33.3-40.2
36.8	33.6-40.1	33.4-40.3
36.9	33.7-40.2	33.5-40.4
37.0	33.7-40.3	33.5-40.5
37.1	33.8-40.4	33.6-40.6
37.2	33.9-40.5	33.7-40.7
37.3	34.0-40.6	33.8-40.8
37.4	34.1-40.7	33.9-40.9
37.5	34.2-40.8	34.0-41.0
37.6	34.3-40.9	34.1-41.1
37.7	34.4-41.0	34.2-41.2
37.8	34.5-41.1	34.4-41.3
37.9	34.6-41.2	34.4-41.4
38.0	34.7-41.3	34.5-41.5
38.1	34.8-41.4	34.6-41.6
38.2	34.9-41.5	34.7-41.7
38.3	35.0-41.6	34.8-41.8
38.4	35.1-41.7	34.9-41.9
38.5	35.2-41.8	35.0-42.0

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
38.6	35.3-41.9	35.1-42.1
38.7	35.4-42.0	35.2-42.2
38.8	35.5-42.1	35.3-42.3
38.9	35.6-42.2	35.4-42.4
39.0	35.7-42.3	35.5-42.5
39.1	35.8-42.4	35.6-42.6
39.2	35.9-42.5	35.7-42.7
39.3	36.0-42.6	35.8-42.8
39.4	36.1-42.7	35.9-42.9
39.5	36.2-42.8	36.0-43.0
39.6	36.3-42.9	36.1-43.1
39.7	36.4-43.0	36.2-43.2
39.8	36.5-43.1	36.3-43.3
39.9	36.6-43.2	36.4-43.4
40.0	36.7-43.3	36.5-43.5
40.1	36.8-43.4	36.6-43.6
40.2	36.9-43.5	36.7-43.7
40.3	37.0-43.6	36.8-43.8
40.4	37.1-43.7	36.9-43.9
40.5	37.2-43.8	37.0-44.0
40.6	37.3-43.9	37.1-44.1
40.7	37.4-44.0	37.2-44.2
40.8	37.5-44.1	37.3-44.3
40.9	37.6-44.2	37.4-44.4
41.0	37.7-44.3	37.5-44.5
41.1	37.8-44.4	37.6-44.6
41.2	37.9-44.5	37.7-44.7
41.3	38.0-44.6	37.8-44.8
41.4	38.1-44.7	37.9-44.9
41.5	38.2-44.8	38.0-45.0
41.6	38.3-44.9	38.1-45.1
41.7	38.4-45.0	38.2-45.2
41.8	38.4-45.1	38.2-45.3
41.9	38.5-45.2	38.3-45.4
42.0	38.6-45.3	38.4-45.5

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
42.1	38.7-45.4	38.5-45.6
42.2	38.8-45.5	38.6-45.7
42.3	38.9-45.6	38.7-45.8
42.4	39.0-45.7	38.8-45.9
42.5	39.1-45.8	38.9-46.0
42.6	39.2-45.9	39.0-46.1
42.7	39.3-46.0	39.1-46.2
42.8	39.4-46.1	39.2-46.3
42.9	39.5-46.2	39.3-46.4
43.0	39.6-46.3	39.4-46.5
43.1	39.7-46.4	39.5-46.6
43.2	39.8-46.5	39.6-46.7
43.3	39.9-46.6	39.7-46.8
43.4	40.0-46.7	39.8-46.9
43.5	40.1-46.8	39.9-47.0
43.6	40.2-46.9	40.0-47.1
43.7	40.3-47.0	40.1-47.2
43.8	40.4-47.1	40.2-47.3
43.9	40.5-47.2	40.3-47.4
44.0	40.6-47.3	40.4-47.5
44.1	40.7-47.4	40.5-47.6
44.2	40.8-47.5	40.6-47.7
44.3	40.9-47.6	40.7-47.8
44.4	41.0-47.7	40.8-47.9
44.5	41.1-47.8	40.9-48.0
44.6	41.2-47.9	41.0-48.1
44.7	41.3-48.0	41.1-48.2
44.8	41.4-48.1	41.2-48.3
44.9	41.5-48.2	41.3-48.4
45.0	41.6-48.3	41.4-48.5
45.1	41.7-48.4	41.5-48.6
45.2	41.7-48.4	41.5-48.6
45.3	41.9-48.7	41.7-48.9
45.4	42.0-48.8	41.8-49.0
45.5	42.1-48.9	41.9-49.1

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
45.6	42.2-49.0	42.0-49.2
45.7	42.3-49.1	42.1-49.3
45.8	42.4-49.2	42.2-49.4
45.9	42.5-49.3	42.3-49.5
46.0	42.6-49.4	42.4-49.6
46.1	42.7-49.5	42.5-49.7
46.2	42.8-49.6	42.6-49.8
46.3	42.9-49.7	42.7-49.8
46.4	43.0-49.8	42.8-50.0
46.5	43.1-49.9	42.9-50.1
46.6	43.2-50.0	43.0-50.2
46.7	43.3-50.1	43.1-50.3
46.8	43.4-50.2	43.2-50.4
46.9	43.5-50.3	43.3-50.5
47.0	43.6-50.4	43.4-50.6
47.1	43.7-50.5	43.5-50.7
47.2	43.8-50.6	43.6-50.8
47.3	43.9-50.7	43.7-50.9
47.4	44.0-50.8	43.8-51.0
47.5	44.1-50.9	43.9-51.1
47.6	44.2-51.0	44.0-51.2
47.7	44.3-51.1	44.1-51.3
47.8	44.4-51.2	44.2-51.4
47.9	44.5-51.3	44.3-51.5
48.0	44.6-51.4	44.4-51.6
48.1	44.7-51.5	44.5-51.7
48.2	44.8-51.6	44.6-51.8
48.3	44.9-51.7	44.7-51.9
48.4	45.0-51.8	44.8-52.0
48.5	45.1-51.9	44.9-52.1
48.6	45.2-52.0	45.0-52.2
48.7	45.3-52.1	45.0-52.2
48.8	45.4-52.2	45.2-52.4
48.9	45.5-52.3	45.3-52.5
49.0	45.6-52.4	45.4-52.6

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
49.1	45.7-52.2	45.5-52.7
49.2	45.8-52.6	45.6-52.8
49.3	45.9-52.7	45.7-52.9
49.4	46.0-52.8	45.8-53.0
49.5	46.1-52.9	45.9-53.1
49.6	46.2-53.0	46.0-53.2
49.7	46.3-53.1	46.1-53.3
49.8	46.4-53.2	46.2-53.4
49.9	46.5-53.3	46.3-53.5
50.0	46.6-53.4	46.4-53.6

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
0.0	0.0- 0.2	0.0- 0.5
0.1	0.0- 0.4	0.0- 0.7
0.2	0.1- 0.6	0.0- 0.9
0.3	0.1- 0.7	0.0- 1.0
0.4	0.2- 0.8	0.0- 1.1
0.5	0.2- 1.0	0.0- 1.3
0.6	0.3- 1.1	0.0- 1.4
0.7	0.4- 1.2	0.1- 1.5
0.8	0.5- 1.4	0.2- 1.7
0.9	0.5- 1.5	0.2- 1.8
1.0	0.6- 1.6	0.3- 1.9
1.1	0.7- 1.7	0.4- 2.0
1.2	0.8- 1.9	0.5- 2.2
1.3	0.8- 2.0	0.5- 2.3
1.4	0.9- 2.1	0.6- 2.4
1.5	1.0- 2.2	0.7- 2.5
1.6	1.1- 2.3	0.8- 2.6
1.7	1.2- 2.5	0.9- 2.8
1.8	1.2- 2.6	0.9- 2.9
1.9	1.3- 2.7	1.0- 3.0
2.0	1.4- 2.8	1.1- 3.1
2.1	1.5- 2.9	1.2- 3.2
2.2	1.6- 3.0	1.3- 3.3
2.3	1.6- 3.2	1.3- 3.5
2.4	1.7- 3.3	1.4- 3.6
2.5	1.8- 3.4	1.5- 3.7
2.6	1.9- 3.5	1.6- 3.8
2.7	2.0- 3.6	1.7- 3.9
2.8	2.1- 3.7	1.8- 4.0
2.9	2.2- 3.9	1.9- 4.2
3.0	2.2- 4.0	1.9- 4.3
3.1	2.3- 4.1	2.0- 4.4
3.2	2.4- 4.2	2.1- 4.5
3.3	2.5- 4.3	2.2- 4.6
3.4	2.6- 4.4	2.3- 4.7
3.5	2.7- 4.5	2.4- 4.8

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
3.6	2.8- 4.6	2.5- 4.9
3.7	2.9- 4.8	2.6- 5.1
3.8	2.9- 4.9	2.6- 5.2
3.9	3.0- 5.0	2.7- 5.3
4.0	3.1- 5.1	2.8- 5.4
4.1	3.2- 5.2	2.9- 5.5
4.2	3.3- 5.3	3.0- 5.6
4.3	3.4- 5.4	3.1- 5.7
4.4	3.5- 5.5	3.2- 5.8
4.5	3.6- 5.6	3.3- 5.9
4.6	3.6- 5.8	3.3- 6.1
4.7	3.7- 5.9	3.4- 6.2
4.8	3.8- 6.0	3.5- 6.3
4.9	3.9- 6.1	3.6- 6.4
5.0	4.0- 6.2	3.7- 6.5
5.1	4.1- 6.3	3.8- 6.6
5.2	4.2- 6.4	3.9- 6.7
5.3	4.3- 6.5	4.0- 6.8
5.4	4.4- 6.6	4.1- 6.9
5.5	4.5- 6.8	4.2- 7.1
5.6	4.5- 6.9	4.2- 7.2
5.7	4.6- 7.0	4.3- 7.3
5.8	4.7- 7.1	4.4- 7.4
5.9	4.8- 7.2	4.5- 7.5
6.0	4.9- 7.3	4.6- 7.6
6.1	5.0- 7.4	4.7- 7.7
6.2	5.1- 7.5	4.8- 7.8
6.3	5.2- 7.6	4.9- 7.9
6.4	5.3- 7.7	5.0- 8.0
6.5	5.4- 7.8	5.1- 8.1
6.6	5.5- 8.0	5.2- 8.3
6.7	5.5- 8.1	5.2- 8.4
6.8	5.6- 8.2	5.3- 8.5
6.9	5.7- 8.3	5.4- 8.6
7.0	5.8- 8.4	5.5- 8.7

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
7.1	5.9- 8.5	5.6- 8.8
7.2	6.0- 8.6	5.7- 8.9
7.3	6.1- 8.7	5.8- 9.0
7.4	6.2- 8.8	5.9- 9.1
7.5	6.3- 8.9	6.0- 9.2
7.6	6.4- 9.0	6.1- 9.3
7.7	6.5- 9.1	6.2- 9.4
7.8	6.5- 9.2	6.2- 9.5
7.9	6.6- 9.4	6.3- 9.7
8.0	6.7- 9.5	6.4- 9.8
8.1	6.8- 9.6	6.5- 9.9
8.2	6.9- 9.7	6.6-10.0
8.3	7.0- 9.8	6.7-10.1
8.4	7.1- 9.9	6.8-10.2
8.5	7.2-10.0	6.9-10.3
8.6	7.3-10.1	7.0-10.4
8.7	7.4-10.2	7.1-10.5
8.8	7.5-10.3	7.2-10.6
8.9	7.6-10.4	7.3-10.7
9.0	7.7-10.5	7.4-10.8
9.1	7.8-10.6	7.5-10.9
9.2	7.8-10.8	7.5-11.1
9.3	7.9-10.9	7.6-11.2
9.4	8.0-11.0	7.7-11.3
9.5	8.1-11.1	7.8-11.4
9.6	8.2-11.2	7.9-11.5
9.7	8.3-11.3	8.0-11.6
9.8	8.4-11.4	8.1-11.7
9.9	8.5-11.5	8.2-11.8
10.0	8.6-11.6	8.3-11.9
10.1	8.7-11.7	8.4-12.0
10.2	8.8-11.8	8.5-12.1
10.3	8.9-11.9	8.6-12.2
10.4	9.0-12.0	8.7-12.3
10.5	9.1-12.1	8.8-12.4

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
10.6	9.1-12.2	8.8-12.5
10.7	9.2-12.4	8.9-12.7
10.8	9.3-12.5	9.0-12.8
10.9	9.4-12.6	9.1-12.9
11.0	9.5-12.7	9.2-13.0
11.1	9.6-12.8	9.3-13.1
11.2	9.7-12.9	9.4-13.2
11.3	9.8-13.0	9.5-13.3
11.4	9.9-13.1	9.6-13.4
11.5	10.0-13.2	9.7-13.5
11.6	10.1-13.3	9.8-13.6
11.7	10.2-13.4	9.9-13.7
11.8	10.3-13.5	10.0-13.8
11.9	10.4-13.6	10.1-13.9
12.0	10.5-13.7	10.2-14.0
12.1	10.6-13.8	10.3-14.1
12.2	10.6-13.9	10.3-14.2
12.3	10.7-14.0	10.4-14.3
12.4	10.8-14.2	10.5-14.5
12.5	10.9-14.3	10.6-14.6
12.6	11.0-14.4	10.7-14.7
12.7	11.1-14.5	10.8-14.8
12.8	11.2-14.6	10.9-14.9
12.9	11.3-14.7	11.0-15.0
13.0	11.4-14.8	11.1-15.1
13.1	11.5-14.9	11.2-15.2
13.2	11.6-15.0	11.3-15.3
13.3	11.7-15.1	11.4-15.4
13.4	11.8-15.2	11.5-15.5
13.5	11.9-15.3	11.6-15.6
13.6	12.0-15.4	11.7-15.7
13.7	12.1-15.5	11.8-15.8
13.8	12.2-15.6	11.9-15.9
13.9	12.3-15.7	12.0-16.0
14.0	12.3-15.8	12.0-16.1

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
14.1	12.4-15.9	12.1-16.2
14.2	12.5-16.0	12.2-16.3
14.3	12.6-16.2	12.3-16.5
14.4	12.7-16.3	12.4-16.6
14.5	12.8-16.4	12.5-16.7
14.6	12.9-16.5	12.6-16.8
14.7	13.0-16.6	12.7-16.9
14.8	13.1-16.7	12.8-17.0
14.9	13.2-16.8	12.9-17.1
15.0	13.3-16.9	13.0-17.2
15.1	13.4-17.0	13.1-17.3
15.2	13.5-17.1	13.2-17.4
15.3	13.6-17.2	13.2-17.5
15.4	13.7-17.3	13.4-17.6
15.5	13.8-17.4	13.5-17.7
15.6	13.9-17.5	13.6-17.8
15.7	14.0-17.6	13.7-17.9
15.8	14.1-17.7	13.8-18.0
15.9	14.2-17.8	13.9-18.1
16.0	14.2-17.9	13.9-18.2
16.1	14.3-18.0	14.0-18.3
16.2	14.4-18.1	14.1-18.4
16.3	14.5-18.2	14.2-18.5
16.4	14.6-18.3	14.3-18.6
16.5	14.7-18.5	14.4-18.8
16.6	14.8-18.6	14.5-18.9
16.7	14.9-18.7	14.6-19.0
16.8	15.0-18.8	14.7-19.1
16.9	15.1-18.9	14.8-19.2
17.0	15.2-19.0	14.9-19.3
17.1	15.3-19.1	15.0-19.4
17.2	15.4-19.2	15.1-19.5
17.3	15.5-19.3	15.2-19.6
17.4	15.6-19.4	15.3-19.7
17.5	15.7-19.5	15.4-19.8

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
17.6	15.8-19.6	15.5-19.9
17.7	15.9-19.7	15.6-20.0
17.8	16.0-19.8	15.7-20.1
17.9	16.1-19.9	15.8-20.2
18.0	16.2-20.0	15.9-20.3
18.1	16.3-20.1	16.0-20.4
18.2	16.3-20.2	16.0-20.5
18.3	16.4-20.3	16.1-20.6
18.4	16.5-20.4	16.2-20.7
18.5	16.6-20.5	16.3-20.8
18.6	16.7-20.6	16.4-20.9
18.7	16.8-20.7	16.5-21.0
18.8	16.9-20.8	16.6-21.1
18.9	17.0-21.0	16.7-21.3
19.0	17.1-21.1	16.8-21.4
19.1	17.2-21.2	16.9-21.5
19.2	17.3-21.3	17.0-21.6
19.3	17.4-21.4	17.1-21.7
19.4	17.5-21.5	17.2-21.8
19.5	17.6-21.6	17.3-21.9
19.6	17.7-21.7	17.4-22.0
19.7	17.8-21.8	17.5-22.1
19.8	17.9-21.9	17.6-22.2
19.9	18.0-22.0	17.7-22.3
20.0	18.1-22.1	17.8-22.4
20.1	18.2-22.2	17.9-22.5
20.2	18.3-22.3	18.0-22.6
20.3	18.4-22.4	18.1-22.7
20.4	18.5-22.5	18.2-22.8
20.5	18.6-22.6	18.3-22.9
20.6	18.6-22.7	18.3-23.0
20.7	18.7-22.8	18.4-23.1
20.8	18.8-22.9	18.5-23.2
20.9	18.9-23.0	18.6-23.3
21.0	19.0-23.1	18.7-23.4

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
21.1	19.1-23.2	18.8-23.5
21.2	19.2-23.3	18.9-23.6
21.3	19.3-23.4	19.0-23.7
21.4	19.4-23.5	19.1-23.8
21.5	19.5-23.6	19.2-23.9
21.6	19.6-23.7	19.3-24.0
21.7	19.7-23.9	19.4-24.2
21.8	19.8-24.0	19.5-24.3
21.9	19.9-24.1	19.6-24.4
22.0	20.0-24.2	19.7-24.5
22.1	20.1-24.3	19.8-24.6
22.2	20.2-24.2	19.9-24.7
22.3	20.3-24.5	20.0-24.8
22.4	20.4-24.6	20.1-24.9
22.5	20.5-24.7	20.2-25.0
22.6	20.6-24.8	20.3-25.1
22.7	20.7-24.9	20.4-25.2
22.8	20.8-25.0	20.5-25.3
22.9	20.9-25.1	20.6-25.4
23.0	21.0-25.2	20.7-25.5
23.1	21.1-25.3	20.8-25.6
23.2	21.2-25.4	20.9-25.7
23.3	21.3-25.5	21.0-25.8
23.4	21.4-25.6	21.1-25.9
23.5	21.4-25.7	21.1-26.0
23.6	21.5-25.8	21.2-26.1
23.7	21.6-25.9	21.3-26.2
23.8	21.7-26.0	21.4-26.3
23.9	21.8-26.1	21.5-26.4
24.0	21.9-26.2	21.6-26.5
24.1	22.0-26.3	21.7-26.2
24.2	22.1-26.4	21.8-26.7
24.3	22.2-26.5	21.9-26.8
24.4	22.3-26.6	22.0-26.9
24.5	22.4-26.7	22.1-27.0

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
24.6	22.5-26.8	22.2-27.1
24.7	22.6-26.9	22.3-27.2
24.8	22.7-27.0	22.4-27.3
24.9	22.8-27.1	22.5-27.4
25.0	22.9-27.3	22.6-27.6
25.1	23.0-27.4	22.7-27.7
25.2	23.1-27.5	22.8-27.8
25.3	23.2-27.6	22.9-27.9
25.4	23.3-27.7	23.0-28.0
25.5	23.4-27.8	23.1-28.1
25.6	23.5-27.9	23.2-28.2
25.7	23.6-28.0	23.3-28.3
25.8	23.7-28.1	23.4-28.4
25.9	23.8-28.2	23.5-28.5
26.0	23.9-28.3	23.6-28.6
26.1	24.0-28.4	23.7-28.7
26.2	24.1-28.5	23.8-28.8
26.3	24.2-28.6	23.9-28.9
26.4	24.3-28.7	24.0-29.0
26.5	24.4-28.8	24.1-29.1
26.6	24.5-28.9	24.2-29.2
26.7	24.5-29.0	24.2-29.3
26.8	24.6-29.1	24.2-29.4
26.9	24.7-29.2	24.4-29.5
27.0	24.8-29.3	24.5-29.6
27.1	24.9-29.4	24.6-29.7
27.2	25.0-29.5	24.7-29.8
27.3	25.1-29.6	24.8-29.9
27.4	25.2-29.7	24.9-30.0
27.5	25.3-29.8	25.0-30.1
27.6	25.4-29.9	25.1-30.2
27.7	25.5-30.0	25.2-30.3
27.8	25.6-30.1	25.3-30.4
27.9	25.7-30.2	25.4-30.5
28.0	25.8-30.3	25.5-30.6

TABLE 7
(Percent ±)

Original Inspection Result	PORTION OF ORIGINAL SAMPLE	NEW SAMPLE
28.1	25.9-30.4	25.6-30.7
28.2	26.0-30.5	25.7-30.8
28.3	26.1-30.6	25.8-30.9
28.4	26.2-30.7	25.9-31.0
28.5	26.3-30.8	26.0-31.1
28.6	26.4-30.9	26.1-31.2
28.7	26.5-31.0	26.2-31.3
28.8	26.6-31.1	26.3-31.4
28.9	26.7-31.2	26.4-31.5
29.0	26.8-31.3	26.5-31.6
29.1	26.9-31.4	26.6-31.7
29.2	27.0-31.6	26.7-31.9
29.3	27.1-31.7	26.8-32.0
29.4	27.2-31.8	26.9-32.1
29.5	27.3-31.9	27.0-32.2
29.6	27.4-32.0	27.1-32.3
29.7	27.5-32.1	27.2-32.4
29.8	27.6-32.2	27.3-32.5
29.9	27.7-32.3	27.4-32.6
30.0	27.8-32.4	27.5-32.7
30.1	27.0-32.5	27.6-32.8
30.2	28.0-32.6	27.7-32.9
30.3	28.1-32.7	27.8-33.0
30.4	28.2-32.8	27.9-33.1
30.5	28.3-32.9	28.0-33.2
30.6	28.3-33.0	28.0-33.3
30.7	28.4-33.1	28.1-33.4
30.8	28.5-33.2	28.2-33.5
30.9	28.6-33.3	28.3-33.6
31.0	28.7-33.4	28.4-33.7
31.0	28.7-33.4	28.4-33.7
31.1	28.8-33.5	28.5-33.8
31.2	28.9-33.6	28.6-33.9
31.3	29.0-33.7	28.7-34.0
31.4	29.1-33.8	28.8-34.1
31.5	29.2-33.9	28.9-34.2

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
31.6	29.3-34.0	29.0-34.3
31.7	29.4-34.1	29.1-34.4
31.8	29.5-34.2	29.2-34.5
31.9	29.6-34.3	29.3-34.6
32.0	29.7-34.4	29.4-34.7
32.1	29.8-34.5	29.5-34.8
32.2	29.9-34.6	29.6-34.9
32.3	30.0-34.7	29.7-35.0
32.4	30.1-34.8	29.8-35.1
32.5	30.2-34.9	29.9-35.2
32.6	30.3-35.0	30.0-35.3
32.7	30.4-35.1	30.1-35.4
32.8	30.5-35.2	30.2-35.5
32.9	30.6-35.3	30.3-35.6
33.0	30.7-35.4	30.4-35.7
33.1	30.8-35.5	30.5-35.8
33.2	30.9-35.6	30.6-35.9
33.3	31.0-35.7	30.7-36.0
33.4	31.1-35.8	30.8-36.1
33.5	31.2-35.9	30.9-36.2
33.6	31.3-36.0	31.0-36.3
33.7	31.4-36.1	31.1-36.4
33.8	31.5-36.2	31.2-36.5
33.9	31.6-36.3	31.3-36.6
34.0	31.7-36.4	31.4-36.7
34.1	31.8-36.5	31.5-36.8
34.2	31.9-36.6	31.6-36.9
34.3	32.0-36.7	31.7-37.0
34.4	32.1-36.8	31.8-37.1
34.5	32.2-36.9	31.9-37.2
34.6	32.3-37.0	32.0-37.3
34.7	32.4-37.1	32.1-37.4
34.8	32.5-37.2	32.2-37.5
34.9	32.6-37.3	32.3-37.6
35.0	32.7-37.4	32.4-37.7

TABLE 6
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
35.1	32.8-37.5	32.5-37.8
35.2	32.8-37.6	32.5-37.9
35.3	32.9-37.7	32.6-38.0
35.4	33.0-37.8	32.7-38.1
35.5	33.1-37.9	32.8-38.2
35.6	33.2-38.1	32.9-38.4
35.7	33.3-38.2	33.0-38.5
35.8	33.4-38.3	33.1-38.6
35.9	33.5-38.4	33.2-38.7
36.0	33.6-38.5	33.3-38.8
36.1	33.7-38.6	33.4-38.9
36.2	33.8-38.7	33.5-39.0
36.3	33.9-38.8	33.6-39.1
36.4	34.0-38.9	33.7-39.2
36.5	34.1-39.0	33.8-39.3
36.6	34.2-39.1	33.9-39.4
36.7	34.3-39.2	34.0-39.5
36.8	34.4-39.3	34.1-39.6
36.9	34.5-39.4	34.2-39.7
37.0	34.6-39.5	34.3-39.8
37.1	34.7-39.6	34.4-39.9
37.2	34.8-39.7	34.5-40.0
37.3	34.9-39.8	34.6-40.1
37.4	35.0-39.9	34.7-40.2
37.5	35.1-40.0	34.8-40.3
37.6	35.2-40.1	34.9-40.4
37.7	35.3-40.2	35.0-40.5
37.8	35.4-40.3	35.1-40.6
37.9	35.5-40.4	35.2-40.7
38.0	35.6-40.6	35.3-40.8
38.1	35.7-40.6	35.4-40.9
38.2	35.8-40.7	35.5-41.0
38.3	35.9-40.8	35.6-41.1
38.4	36.0-40.9	35.7-41.2
38.5	36.1-41.0	35.8-41.3

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
38.6	36.2-41.1	35.9-41.4
38.7	36.3-41.2	36.0-41.5
38.8	36.4-41.3	36.1-41.6
38.9	36.5-41.4	36.2-41.7
39.0	36.6-41.5	36.3-41.8
39.1	36.7-41.6	36.4-41.9
39.2	36.8-41.7	36.5-42.0
39.3	36.9-41.8	36.6-42.1
39.4	37.0-41.9	36.7-42.2
39.5	37.1-42.0	36.8-42.3
39.6	37.2-42.1	36.9-42.4
39.7	37.3-42.2	37.0-42.5
39.8	37.4-42.3	37.1-42.6
39.9	37.5-42.4	37.2-42.7
40.0	37.6-42.5	37.3-42.8
40.1	37.7-42.6	37.4-42.9
40.2	37.8-42.7	37.5-43.0
40.3	37.9-42.8	37.6-43.1
40.4	38.0-42.9	37.7-43.2
40.5	38.1-43.0	37.8-43.3
40.6	38.2-43.1	37.9-43.4
40.7	38.3-43.2	38.0-43.5
40.8	38.4-43.3	38.1-43.6
40.9	38.5-43.4	38.2-43.7
41.0	38.5-43.5	38.2-43.8
41.1	38.6-43.6	38.3-43.9
41.2	38.7-43.7	38.4-44.0
41.3	38.8-43.8	38.5-44.1
41.3	38.8-43.8	38.5-44.1
41.4	38.9-43.9	38.6-44.2
41.5	39.0-44.0	38.7-44.3
41.6	39.1-44.1	38.8-44.4
41.7	39.2-44.2	38.9-44.5
41.8	39.3-44.3	39.1-44.7
41.9	39.4-44.4	39.1-44.7
42.0	39.5-44.5	39.2-44.8

TABLE 7
(Percent ±)

Original Inspection Result	Portion of Original Sample	New Sample
42.1	39.6-44.6	39.3-44.9
42.2	39.7-44.7	39.4-45.0
42.3	39.8-44.8	39.5-45.1
42.4	39.9-44.9	39.6-45.2
42.5	40.0-45.0	39.7-45.3
42.6	40.1-45.1	39.8-45.4
42.7	40.2-45.2	39.9-45.5
42.8	40.3-45.3	40.0-45.6
42.9	40.4-45.4	40.1-45.7
43.0	40.5-45.5	40.2-45.8
43.1	40.6-45.6	40.3-45.9
43.2	40.7-45.7	40.4-46.0
43.3	40.8-45.8	40.5-46.1
43.4	40.9-45.9	40.6-46.2
43.5	41.0-46.0	40.7-46.3
43.6	41.1-46.1	40.8-46.4
43.7	41.2-46.2	40.9-46.5
43.8	41.3-46.3	41.0-46.6
43.9	41.4-46.4	41.1-46.7
44.0	41.5-46.5	41.2-46.8
44.1	41.6-46.6	41.3-46.9
44.2	41.7-46.7	41.4-47.0
44.3	41.8-46.8	41.5-47.1
44.4	41.9-46.9	41.6-47.2
44.5	42.0-47.0	41.7-47.3
44.6	42.1-47.1	41.8-47.4
44.7	42.2-47.2	41.9-47.5
44.8	42.3-47.3	42.0-47.6
44.9	42.4-47.4	42.1-47.7
45.0	42.5-47.5	42.2-47.8
45.1	42.6-47.6	42.3-47.9
45.2-54.8	± 2.5	± 2.8